		SPACERS FOR PUSH-PULL BRACKET				Date	05/09/2017
						Rev.	15
Brand	Size	Sreen Model	Dimension +/- 1 mm		Only Bracket 3890-4600-5000	Only Bracket 4630-4551-4650	
			W (mm)	H (mm)	Code	Code	
BARCO	55	KVD5521	1213	684	3890S55C		
CHRISTIE	55	FHD553-XE	1211,5	682,3	3890S55L	-	
DYNASCAN	55	DS551LX4	1213,4	684,2	3890S55C	-	
EIZO	24,1	EV2456	531	341,9	-	-	
EYEVIS	21	LCD-2160-SQUARETILE	393,3	393,3	-	-	
	46	LCD-4600-ESN-PRO	1020,0	575,0	?	-	
	46	LCD-4600-M-USN-LD	1025,1	579,7	3890N46	-	
	46	LCD-4600-NB	1049,8	602,8	3890E46NB	-	
	46	LCD-4600-XSN-FX	1022,2	576,6	3890S46D	-	
	55	LCD-5500-ESN-FX	1211,5	682,3	3890S55L	-	
	55	LCD-5500-XSN-LD-FX	1213,5	684,3	3890S55C	-	
55	LCD-5500-XSN-LD-FX-700	1213,5	684,3	3890S55C	-		
GDS HANTAREX	46	UNB	1025,5	580,3	3890N46	-	
HYUNDAI	40	D407ML	915,00	527,5	-	-	
	46	D46UFB	1021,98	576,57	?	-	
	55	D55UFB	1213,4	684,2	3890S55C	-	
IYAMA	42	LH4281S-B1	947,0	541,0	-	-	



SPACERS FOR PUSH-PULL BRACKET

Date 05/09/2017

Rev. 15

Brand	Size	Sreen Model	Dimension +/- 1 mm		Only Bracket 3890-4600-5000	Only Bracket 4630-4551-4650
			W (mm)	H (mm)	Code	Code
LG	42	42LS73B	949	555	3890L47D	-
	42	42WS50MW	961,6	554,5	-	-
	42	42WX30MW	961,6	554,5	-	-
	43	43SM5B	969,6	563,9	-	-
	43	43UH603V	976	583	-	-
	47	47LV35A	1044,9	590	3890L47B	-
	47	47LV50	1044,9	590	3890L47B	-
	47	47WS50MW	1071,8	616	3890L47C	-
	47	47WV30	1046,48	591,6	3890L47	-
	47	47WX30MW-B	1071,8	616	3890L47C	-
	49	49MS75A	1095	625,2	3890S49A	-
	49	49SH7DB	1094,6	637	-	-
	49	49SM5B	1102,2	638,5	-	-
	49	49UH5C	1103,2	648	-	-
	49	49VH7C	1075,6	605,8	-	-
	49	49VL5B	1077,6	607,8	3890L49	-
	49	49VM5C	1075,6	605,8	-	-
	55	55EF950V	1228	718	-	-
	55	55LV35A	1213,4	684,2	3890S55C	-
	55	55LV75A	1213,4	684,2	3890S55C	-
	55	55UH5C	1239,8	725,2	-	-
	55	55UH5C-B	1239,8	725,2	-	-
	55	55VH7B-B	1211,4	682,2	3890S55L	-
	55	55WV70	1215,2	686	3890N55	-
	55	55WX30MW	1241,9	712,6	-	-
	55	55XS2B	1238,4	712,4	3890S55E	-
	55	55VM5B-B	1211,4	682,2	3890S55L	-
	55	55LV77A-7B	1213,4	684,2	3890S55C	-
	65	65UH5C	1458,6	848,9	-	-
	75	75UH5C	1682,4	960,3	-	-
86	86BH5C	2159	348,5	-	-	
86	86UH5C	1926,2	1097,2	-	-	
MITSUBISHI	55	VS-L55HM70U	1215,3	686,1	3890N55	-
	55	LM55P1	1215,5	686,3	3890N55	-
	55	MDT552S	1249,0	719,0	3890N55B	-
NEC	23	EA232WMi	550,1	329,0	-	-
	32	V323	786,8	476,2	-	-
	40	P402	919,7	532	-	-
	42	V422	1022,9	613,5	-	512042A
	42	V423	972,5	565,4	-	-
	46	P462	1055,4	608,6	3890N462	-
	46	V462	1121,5	664,7	-	-
	46	V463	1058,2	612,8	-	-
	46	X461UN	1025,7	579,8	3890N46	-
	46	X462UN	1025,7	579,8	3890N46	-
	46	X464UN-2	1024	578,6	3890S46E	-

Brand	Size	Sreen Model	Dimension +/- 1 mm		Only Bracket 3890-4600-5000	Only Bracket 4630-4551-4650
			W (mm)	H (mm)	Code	Code
NEC	46	X464UNS	1021,98	576,57	3890S46D	-
	46	X464UNV	1024	578,6	3890S46E	-
	46	X464UNV-2	1024	578	3890S46E	5120-46B
	55	P551	1250,2	721,1	?	-
	55	P553	1250,2	721	?	-
	55	UN551S	1211	682	3890S55L	-
	55	UN551VS	1211	682	3890S55L	-
	55	V551	1317,8	775,8	-	-
	55	X551UN	1215,3	686,1	3890N55	-
	55	X554UNS	1213,5	684,3	3890S55C	-
	55	X554UNV	1213,5	684,3	3890S55C	-
	55	X555UNV	1213	684	3890S55C	-
	65	E654	1467	872	3890S65D	-
	65	V652	1540,4	909,2	3890S65E	-
	65	X651UHD-2	1468	844	3890S65C	-
	70	E705	1587	919,6	-	-
	70	P703	1587	919,6	-	-
	84	X841	1931	1117	-	-
	84	X841UHD	1931	1117	-	-
	90	E905	2058,4	1186,4	-	-
98	X981UHD	2204	1259	-	-	
98	X981UHD-2	2204	1259	-	-	
NORDMENDE	40	NMBD40S100	911,0	527,0	-	5120-40A
PHILIPS	32	BDL4050D	724,5	424,0	-	-
	46	BDL4675XU	1025,7	579,8	3890N46	-
	47	BDL4776XL	1046,8	591,6	3890L47	-
	49	BDL4970EL	1092,8	623	3890S49B	-
	49	BDL4988XL	1077,6	607,8	3890L49	-
	49	BDL4988XC	1077,6	607,8	3890L49	-
	49	BDL4990VL	1092,8	623	-	-
	55	BDL1005X	1211,4	682,2	3890S55L	-
	55	BDL1007X	1211,4	682,2	3890S55L	-
	55	BDL5588XL	1213,4	684,2	3890S55C	-
	55	BDL5588XC	1213,4	684,2	3890S55C	-
	65	BDL3000Q	1458,7	834,7	-	-
	75	BDL3010T	1709,7	988,6	-	-
	84	BDL8470EU	1910	1102	-	-
	84	BDL8470QU	1910	1102	-	-




SPACERS FOR PUSH-PULL BRACKET

Date 05/09/2017

Rev. 15

Brand	Size	Sreen Model	Dimension +/- 1 mm		Only Bracket 3890-4600-5000	Only Bracket 4630-4551-4650
			W (mm)	H (mm)	Code	Code
PANASONIC	47	TH-47LFV5W	1045	590	3890L47B	-
	55	TH-55LFV50	1215,2	686	3890N55	-
	55	TH-55LFV6W	1213	684	3890S55C	-
	55	TH-55LFV70	1213,4	684,2	3890S55C	-
	55	TH-55SF2E	1234	710	-	-
	55	TX-55EX603E	1240	722	-	-
	65	TH-65LFE8E	1451	829	-	-
	84	TH-84EF1W	1910	1102	-	-
	84	TH-84LQ70LW	1949	1141	-	-
	98	98LQ70LW	2233	1288	-	-
	98	TH-98LQ70	2233	1288	-	-
SAMSUNG	22	UD22B	393,3	393,3	-	-
	32	DM32E	721,4	420,3	-	-
	32	ME32C	734,8	433,8	-	-
	32	ML32E	740,2	433,5	-	-
	32	UE32J4000	745,4	442,2	-	-
	32	UE32J5500	721,4	424,8	-	-
	37	SH37F	915,1	281,1	-	-
	40	DE40A	921,2	536,1	-	-
	40	DM40E	906,6	524,7	-	-
	40	ME40A	921,2	536,1	-	-
	40	PE40C	919,5	533,4	-	5120-40B
	40	ME40C	922,1	539,4	-	-
	43	UE43KU6500	965,2	565,1	-	-
	46	460BX	1102,0	656,8	-	-
	46	460UT ...	1025,7	579,8	3890N46	-
	46	460UXN-3	1049,0	603,0	-	-
	46	DE46A	1056,3	612,3	-	-
	46	ME46A	1056,3	612,3	-	-
	46	ME46C	1057,6	615,8	3890N46C	-
	46	OH46D	1069,0	623,6	-	-
	46	OM46D-W	1035,9	590,5	-	-
	46	UD46A	1023,8	578,4	3890S46D	-
	46	UD46C	1023,8	578,4	3890S46D	-
	46	UD46C-B	1023,7	578,3	3890S46D	-
	46	UD46D-P	1022,1	576,7	3890S46D	-
	46	UD46E-A	1022,1	576,6	3890S46D	-
	46	UD46E-C	1024,0	578,6	3890S46E	-
	46	UE46A	1030,4	585,0	3890N46A	-
	46	UE46C	1030,3	584,8	3890N46A	-
	46	UE46D	1030,9	585,4	3890N46A	-
	46	UH46F5	1023,8	578,4	3890S46E	-
	48	DB48E	1075,1	619,4	3890S48	-
	48	DM48E	1075,1	619,4	3890S48	-
49	PH49F	1092,6	624,8	-	-	
49	UE49KU6500	1096,3	639,4	3890S49A	-	
55	DC55E	1230,6	706,9	-	-	

Brand	Size	Sreen Model	Dimension +/- 1 mm		Only Bracket 3890-4600-5000	Only Bracket 4630-4551-4650
			W (mm)	H (mm)	Code	Code
SAMSUNG	55	DE55A	1246,4	718,2	-	-
	55	DM55E	1230,6	706,9	3890S55F	-
	55	ME55A	1246,4	718,2	-	-
	55	ME55B	1246,4	718,2	-	-
	55	ME55C	1248,0	722,4	-	-
	55	OH55D	1260,6	731,4	-	-
	55	OH55F	1260,6	731,4	-	-
	55	OM55D-W	1227,4	698,2	-	-
	55	PM55F	1228,4	701,2	-	-
	55	PM55F-BC	1248,4	733,4	-	-
	55	UD55A	1215,3	686,1	3890N55	-
	55	UD55C	1215,3	686,1	3890N55	-
	55	UD55D	1213,5	684,3	3890S55C	-
	55	UD55E-A	1213,5	684,3	3890S55C	-
	55	UD55E-B	1213,5	684,3	3890S55C	-
	55	UD55E-P	1213,5	684,3	3890S55C	-
	55	UE55A	1221,8	692,7	3890N55A	-
	55	UE55C	1221,7	693,4	3890N55A	-
	55	UE55D	1222,4	693,2	3890N55A	-
	55	UE55KU6500	1233,6	715,3	-	-
	55	UH55F-E	1211,6	682,4	3890S55L	-
	65	65HE890U	1456,1	840,4	-	-
	65	65HE890W	1450,8	839,9	-	-
	65	DM65E	1467,4	848,0	3890S65B	-
	65	DM65E-BR	1535,3	910,4	-	-
	65	ME65B	1480,5	855,5	3890S65	-
	65	SM-ME65B	1480,5	855,5	3890S65	-
	65	UE65KU6500	1452,4	840,7	-	-
	75	DM75E	1676,2	959,5	3890S75A	-
	75	OM75D-W	1675,8	953,8	-	-
75	SM-ME75B	1678,2	958,7	-	-	
78	UE78KU6500	1758,5	1014,4	-	-	
82	DM82D	1854,2	1064,2	-	-	
85	QM85D	1903,4	1090,5	-	-	
SHARP	47	PN-Y475	1077,0	622,0	-	-
	55	PN-R556	1231,0	702,0	-	-
	60	PN-V601	1335,9	754,2	3890S60	-
	70	LC-70LE838E	1613,0	975,0	-	-
	80	PN-80SC5	1882,0	1139,0	-	-
	80	PN-E802	1869,0	1094,0	-	-
	80	PN-80TC3	1850,0	1072,0	-	-
	80	PN-E803	1850,0	1072,0	-	-
	80	PN-Q801	1816,0	1055,0	-	-
	90	PN-Q901E	2054,0	1211,0	-	-
	90	PN-R903	2055,0	1197,0	-	-

		<i>SPACERS FOR PUSH-PULL BRACKET</i>				Date	05/09/2017
						Rev.	15
Brand	Size	Sreen Model	Dimension +/- 1 mm		Only Bracket 3890-4600-5000	Only Bracket 4630-4551-4650	
			W (mm)	H (mm)	Code	Code	
SMART	75	SPNL-6075	1731	1102	-	-	
SOMFY	42	FWD42B2	967,8	560,7	3890S42	-	
SONY	43	FW43X8370C	961,0	568,0	-	5120-43A	
SWEDX	47	UMX-470101	1045,0	590,0	-	-	
TVLOGIC	17	LVM-173W	427,0	310,0	-	-	
	24	LVM-243W	552,5	389,0	-	-	
	32	LVM-323W	769,4	481,1	-	-	
VESTEL	40	VCD401A	911,0	527,0	-	5120-46A	
VIEWSONIC	48	CDE4803	1081,8	623,4	-	-	
	55	CDE5502	1238,6	711,1	-	-	