



Lux-Up T **1175L, 1560L, 1560XL**

Lux-UpT **1175L**

Ref.	038152 - Black	EAN	318528 038152 4
Ref.	038153 - White	EAN	318528 038153 1



- Mast + head : 1175 mm
- Base : 872 x 430 mm
- VESA : 100 to 400 x 400



Lux-UpT **1560L**

Ref.	038252 - Black	EAN	318528 038252 1
Ref.	038253 - White	EAN	318528 038253 8



- Mast + head : 1560 mm
- Base : 933 x 503 mm
- VESA : 100 to 400 x 400



Lux-UpT **1560XL**

Ref.	038352 - Black	EAN	318528 038352 8
Ref.	038353 - White	EAN	318528 038353 5

- Mast + head : 1560 mm
- Base : 946 x 558 mm
- VESA : 100 to 600 x 400



Mail: export@erard.fr / www.erard.com / Tel: +33 (0)4 72 46 16 26 / Fax: +33 (0)4 72 46 16 22

VAT number : FR 81 403 591 415

Z.I. de Chavanoz / 4 route de la Plaine / 38236 CHAVANOZ / FRANCE



Lux-Up T

Enhance your screen !



ORIGINE
FRANCE[®]
GARANTIE

BVCert. 6164725

ERARD[®]

Lux-Up T 1175L, 1560L, 1560XL



TECHNICAL CHARACTERISTICS

- Steel base; black or white epoxy painting
- Mast diameter 60 mm ; Chromium epoxy painting
- Incorporated cable management in the mast
- Screen swivel +/-20° and tilt +/-10°
- Screen height adjustment on 475 mm



Product highlight

***Tilting, swivelling and
reversible head***


Discover the Lux Up T video



www.erard.com/luxupt

ASSETS OF LUX UP T

- Great latitude for adjusting the height of the screen.
- Tilt adjustment to prevent glare on the screen.
- Perfect stability (tests according to standard NF / EN 60065).
- Quality of materials and very beautiful finish (French manufacture)




Screen orientation $\pm 20^\circ$



Continuous tilt $\pm 10^\circ$



New design of the base
to be placed as close as
possible to the wall



Latitude of screen
height adjustment :
475 mm



Reversible head

