


# **ROLINE USB 3.2 Gen 2 Typ C Multiport Docking Station, 8K30 HDMI, 2x USB 3.2 Gen 1, 1x SD/Micro SD Card Reader, 1x USB Type C PD (Power Delivery), 1x Gigabit Ethernet**

<b>Product No.</b>	12.02.1123
<b>Manufacturer</b>	ROLINE
<b>Manufacturer No.</b>	12.02.1123
<b>EAN (single piece)</b>	7630049628458

**roline**  
Designed for Professionals



**The USB Type C Docking Station provides your MacBook, Ultrabook, Notebook or Laptop with a 8K30 capable HDMI port, 2x USB 3.0 / USB 3.2 Gen 1, 1x SD/MicroSD card reader, 1x USB Type C PD (Power Delivery) and 1x Gigabit Ethernet!**

- Plug & Play
- Aluminium housing in space grey
- Multiport Docking Station with HDMI connection, allows the expansion of a display or mirroring to another monitor, television or beamer.
- Max. Resolution: 7680x4320@30Hz
- Compact and flat design.
  
- System requirements: Windows 7/8/10 or MacOS X10.2 and higher

Connection to the mobile device:

- 1x USB Type C connector

Connections for peripheral devices:

- 1x HDMI 4K video output: Mirror or expand your screen to a TV, monitor or projector.
- 2x USB 3.0 / USB 3.2 Gen 1 Type A ports (data transfer rate up to 5Gbit/s), for connecting e.g. keyboard/mouse, USB HDD/SSD, etc.
- 1x card reader for SD/MicroSD
- 1x USB Type C PD (Power Delivery, max. 60W)

- 1x RJ45 for Gigabit Ethernet

**Remark: Support of "Alternate Mode (DP Alt Mode)" required**

Note: According to the current specifications of USB.org we have adapted the technical data of our USB 3 products. The new designation for the already known USB specifications has been changed to USB 3.2 Gen 1 (formerly USB 3.0 / USB 3.1 Gen 1) and USB 3.2 Gen 2 (formerly USB 3.1 / USB 3.1 Gen 2).

Technical specifications	
Manufacturer	ROLINE
Product group	Adapters, Terminators, Converters
Product type	Notebook-Docking-Station
Colour	grey
Length	0.15 m
Scope of delivery	Docking Station
Max. resolution	7680 x 4320 @30Hz (8K)
Side 1 connection (PC)	USB Type C
Side 2 connection (Peripherals)	2x USB 3.2 Gen 1 socket, 1x HDMI socket, 1x Gigabit Ethernet socket, 1x Card Reader, 1x PD
Side 1 Connector Type	USB Type C (USB-C)
Side 1 Connector Gender	Male
Side 2 Connector Type	HDMI Type A RJ-45 SD-Card-Slot TF-Card-Slot USB 3 Type A USB Type C PD (Power Delivery)
Side 2 Connector Gender	Female
Material	Aluminum
Height	16 mm
Width	50 mm
Depth	125 mm

Weight	84 g
Height of packaging (single piece)	10 mm
Width of packaging (single piece)	50 mm
Depth of packaging (single piece)	140 mm
Package weight (single piece)	0.13 kg